

rqmicro.COUNT

Taking Control of Microbiological Water Analysis Rapid analysis for reliable risk control and monitoring



- Legionella Detection Quantification of live Legionella within 2 hours for actionable results
- Total Cell Count Analysis Assessment of total microbiological load for effective process control under 1 hour
 - Easy and Robust Platform Standardized and automated sample preparation and analysis

CLICK HERE TO TAKE CONTROL





rqmicro.COUNT rapid assays for different applications

	Legionella	Total Cell Count
Water Utilities	 Control water reservoirs Monitor water treatment Expand your range of services ✓ Ensure water quality 	 Surveil raw water Detect sudden contaminations Control water treatment steps ✓ Ensure water quality
Industry	 Monitor process water Detect outbreaks Optimize water treatment ✓ Reduce health risks and avoid facility shut down 	 Measure bacterial growth Ensure consistent quality Detect contamination ✓ Improve quality and risk control
Facility Management	 Control water installations Find <i>Legionella</i> hotspots Check success of disinfection measures 	Control water treatment installationsFind contaminations
H AH	 ✓ Improve safety and service for your clients 	 Improve water quality and service for your clients

"The kit presents a new technology emerging in environmental monitoring of Legionella with faster time to result, matrix independence, and good sensitivity."



License No.: 052002 for *L.p.* SG 1 Detect kit

Inside Laboratory Management, AOAC International Jan/Feb 2021





Operators of water systems and water labs benefit from actionable results that enable effective microbiological hygiene management.

Legionella have been recognized as the biggest health burden among water pathogens. **Total Cell Count** is an established parameter to assess the total microbiological load of drinking and process water.

rqmicro.COUNT enables the on-site and in-lab analysis of bacteria on single-cell level. The system isolates target cells from samples using immunomagnetic separation and determines the cell concentration of viable cells using flow cytometry. Up to four samples can be processed in parallel. These high-end technologies have been limited to academic, research and development laboratories for the past 40 years and are now available for routine use.




Science

rqmicro.COUNT technology has been developed in 12 years of research and development at rqmicro (rapid quantitative microbiology) and in collaboration with the Swiss Federal Institute of Technology (ETH) and Swiss Federal Institute of Aquatic Science and Technology (Eawag). Since more than 100 years analytical methods in water microbiology have seen little progress and are mainly based on cell cultivation. The method developed by rqmicro does not require cell cultivation due to the specific isolation of target cells and the highperformance optical detection. As a result, the method delivers results on single-cell level within hours instead of days.




- rqmicro method for the quantification of intact *Legionella* cells
- Specific labelling Magnetic particles and fluorescent dyes bind to target cells
 Target cell instation
- <u>Target cell isolation</u> Automated isolation and concentration of cells on a single-use cartridge
- Single-cell analysis
 Flow cytometric counting and live/dead analysis of cells
- rqmicro method for the total cell count measurement
- <u>Unspecific labelling</u>
 Staining of bacterial cells with fluorescent dyes
- 2. <u>Single-cell analysis</u> Flow cytometric counting of cells







Workflow per method



- Detection: *Legionella pneumophila* SG 1 - 15
- Matrixes: Potable and industrial process water
- Quantitative working range: 10² to 10⁶ cells in 100 ml
- Hands on time per sample: 10 min
- Time to result: 2 hours





Detection: Total number of bacteria

Matrixes: Potable and industrial

Hands on time per sample: 2 min

• Quantitative working range:

process water

 10^2 to 10^7 cells/ml

Time to result: 40 min





rqmicro.COUNT features



Rapid & Reliable

- Automated sample preparation and flow cytometric analysis within 60 min
- Parallel processing of up to 4 samples
- Actionable data based on the analysis of single cells including viability assessment

Convenient & Portable

- Weight: 12kg
- Small Footprint: 24 x 22 cm
- Maintenance-free cartridge system
- No start-up/shutdown or cleaning cycles
- Self-calibrating optics
- Intuitive operation through a touch screen
- Portable device with small footprint



Consitent & Unbiased

- Cartridge system:
 - no sample cross contamination
 - standarized sample purification and analysis
 - Predefined instrument settings and analysis protocols

1000	Product name	
1200 rqmicro.COUN	NT	
31110 <i>L.p.</i> SG 1 DETE	ECT Kit (96 tests)	
31110 <i>L.p.</i> SG 1 DETE 31210 <i>L.p.</i> SG 1-15 D	ETECT Kit (96 tests)	
30010 Total Cell Cou	nt (TCC) (48 tests)	





MAKE WATER SAFE

"The aim of rqmicro is to enable customers to take control over the microbiological situation in water systems. Reliable and quantitative data makes it possible to improve water management and risk control to make water safer and create value for the water industry."

Dr. Hans-Anton Keserue, CEO of rqmicro

References

- Validation of the *Legionella pneumophila* SG1 DETECT Kit for Quantification of *Legionella pneumophila* Serogroup 1 Bacteria in Potable Waters, Process Waters and Surface Waters: AOAC Performance Tested Method SM 052002 (AOAC International, 2020)
- Aqua & Gas N° 6, 2020
- External Validation of rqmicro.COUNT for Bacterial Cell Count (White Paper; rqmicro, UKSH Kiel, 2020)
- Legionellen-Schnelltest kommt im Labor der Berliner Wasserbetriebe zum Einsatz (Aqua & Gas, No° 7/8, 2018)

